Table of contents

 Unveiling the potential role of calix[4]pyrroles in catalysis Ishfaq Ahmad Rather, Rashid Ali 1. Introduction 2. Calix[4]pyrroles as organocatalysts 3. Heterogeneous catalysts based on calix[4]pyrrole nanoparticles 4. Catalysis through calix[4]pyrrole-based organometallic complexes 5. Conclusions Acknowledgements References 	1
Palladium-catalyzed heterocycle synthesis from allenesMan-Bo Li, Jun Xuan1. Introduction2. Palladium-catalyzed cyclization of allenes initiated from Pd ⁰ 3. Palladium-catalyzed cyclization of allenes initiated from Pd ^{II} 4. Oxygen heterocycles synthesis from palladium-catalyzed allene chemistry5. Nitrogen heterocycles synthesis from palladium-catalyzed allene chemistry6. Oxazoline synthesis from palladium-catalyzed allene chemistry7. Heterogeneous palladium-catalyzed heterocyclic synthesis from allene8. ConclusionAcknowledgementReferences	13
Functionalization of P-heterocycles utilizing microwave irradiationGyörgy Keglevich1. Introduction2. Direct esterification of cyclic phosphinic acids3. Attempts for the direct amidation of cyclic phosphinic acids4. Alkylating esterification of cyclic phosphinic acids5. Propylphosphonic anhydride-promoted esterification of cyclic phosphinic acids6. Transesterification of cyclic phosphinates7. Aminolysis of cyclic phosphinates8. Hydrolysis of cyclic phosphinates9. Deoxygenation of 2,5-dihydro-1 <i>H</i> -phosphole 1-oxides10. Other P-functionalizations11. ConclusionAcknowledgementReferences	34
Electrochemical synthesis of heterocyclic compounds Guilherme M. Martins, Guilherme B. Simoso, Pedro P. de Castro 1. Introduction 2. C–O Bond formation 3. C–N Bond formation 4. C–C Bond formation	49

- 5. Miscellaneous6. Emerging trends and future perspectives7. Conclusions
- Acknowledgement
- References

Recent advances in the synthesis of 1,2-benzisoxazoles and 1,2-benzisoxazolines

Alexander A. Lukoyanov, Alexey Yu. Sukhorukov, Andrey A. Tabolin

1. Introduction

- 2. Synthesis of 1,2-benzisoxazole core
- 2.1. C–O Bond formation. Synthesis from *o*-substituted aryloximes
- 2.2. N–O Bond formation. Synthesis from o-hydroxyaryl oximes and imines
- 2.3. Synthesis from cyclic 1,3-dicarbonyl compounds with further oxidation
- 2.4. Benzene ring formation. Synthesis from substituted isoxazoles
- 2.5. Synthesis via [3+2]-cycloaddition reactions. Formation of C-C and C-O bonds
 - 2.5.1. An aryne-based route
 - 2.5.2. Nitrile oxide-benzoquinones cycloaddition
- 2.6. C=N Double bond formation
- 2.7. Miscellaneous methods
- 2.8. Synthesis of benzisoxazole N-oxides and their rearrangements
- 3. Benzisoxazolium salts
- 4. Synthesis of 2,3-dihydro-1,2-benzisoxazoles (benzisoxazolines)
- 4.1. Synthesis from Schiff bases
- 4.2. Synthesis from 1,2-benzisoxazoles
- 4.3. Benzene ring formation
- 4.4. Aryne-based methodology
- 4.5. Rh-catalyzed cyclization
- 5. 1,2-Benzisoxazoline-3-ones
- 6. Conclusions
- References

Synthesis of N-, O-heterocycles from alkenes and diorganyl diselenides

- Tales A. C. Goulart, Roberto do Carmo Pinheiro, Gilson Zeni
- 1. Introduction
- 2. Synthesis of organoselenyl lactones via cyclization of alkenes under metal free conditions
- 3. Synthesis of organoselenyl lactones via cyclization of alkenes using ferric chloride
- 4. Synthesis of organoselenyl lactones promoted by electrochemical processes
- 5. Synthesis of organoselenyl lactams via radical-promoted cyclization of alkenes
- 6. Synthesis of organoselenyl dihydropyrans via electrochemical cyclization of alkenes
- 7. Synthesis of selenyl N-, O-heterocycles promoted by hydrazones, benzimidates, and oximes
- 8. Synthesis of organoselenyl chromenones via cyclization reaction of enaminones
- 9. Synthesis of organoselenyl benzofuran derivatives via electrochemical reactions
- 10. Organoselenyl halides promoting cyclization reactions
- 11. Organoseleno cyclization of 2-alkenylbenzamides
- 12. Synthesis of organoselenyl thiazine via electro-oxidative reaction
- 13. Synthesis of organoselenyl oxindoles and quinolinones promoted by electrochemical processes
- 14. Synthesis of organoselenyl oxindoles via radical species of diorganyl diselenides
- 15. Synthesis of organoselenyl indolo-isoquinolinones and organoselenyl benzoazepines *via* electrophilic organoselenium species
- 16. Conclusion
- Acknowledgements
- References

Heterocycles in the design of carbonic anhydrase inhibitors. Part 1

Niccolò Paoletti, Claudiu T. Supuran

- 1. Introduction
- 2. Thiadiazoles
- 2.1. Fungi and bacteria
- 3. Thiophene sulfonamides
- 3.1. Bicyclo thieno-thiopyran

116

- 3.2. Bacterial CAs 4. Indole-based sulfonamides 5. Benzothiazoles 6. Benzimidazoles 7. Benzoxazoles 8. Quinoline sulfonamides 9. Aliphatic sulfonamides 9.1. Thiadiazoles 9.2. Zonisamide and derivatives 9.3. Coumarins 9.4. Triazoles 10. Pyridines 11. Conclusion References Synthetic approaches to heterocyclic α, α -disubstituted amino acids 139 Pablo Esteban-Arderíus, Carlos Cuadros-Higueras, Diego Núñez-Villanueva 1. Introduction 2. Three-membered ring quaternary heterocyclic amino acids 3. Four-membered ring quaternary heterocyclic amino acids 4. Five-membered ring quaternary heterocyclic amino acids 5. Six-membered ring quaternary heterocyclic amino acids 6. Seven-membered ring and larger quaternary heterocyclic amino acids 7. Conclusions and future perspectives Acknowledgement References Recent progress on synthesis of indoles through aminopalladation enabled cascade reaction 159 Zhi-Shi Ye, Gang Wang, Shi-Wei Li, Shao-Jie Cheng 1. Introduction 2. Aminopalladation/arylation cascades 3. Aminopalladation/alkenylation cascades 4. Aminopalladation/allylation cascades 5. Aminopalladation/alkylation cascades 6. Aminopalladation/C=X (X=C, O) and C=N bonds insertion cascades 7. Miscellaneous reactions 8. Conclusion Acknowledgement References
- **Fluorescent coumarin derivatives: understanding molecular architecture, photophysical,** 181 and cell-imaging responses
- Brenno A. D. Neto, Alexandre A. M. Lapis, Alberto A. R. Mota
- 1. Introduction
- 2. Basic designing principles to obtain fluorescent coumarin derivatives
- 3. Coumarin derivatives with simple molecular architecture and fluorescence response
- 4. The strategy of hybrid coumarin derivatives
- 5. Highlighted cell-imaging applications
- 6. Concluding remarks
- Acknowledgement

References

Recent advances in copper-catalyzed synthesis of quinazolinones

Samir Kumar Mondal, Ujala Rani, Girish Chandra, Shantanu Pal

- 1. Introduction
- 2. General mechanism of copper catalyst mediated reactions
- 3. Synthesis of quinazolinones
- 3.1. Cross-coupling reactions
- 3.2. Cu-Catalyzed aerobic oxidation
- 3.3. Heterogeneous catalyst
- 3.4. Modulation of quinazolinones
- 3.5. Miscellaneous methods
- 4. Conclusion
- 5. Acknowledgement

References

Isocoumarins in skeletal editing: a synthetic approach to multi-substituted polycyclic aromatics 225

IV

- Hikaru Yanai, Teru Kawazoe, Takashi Matsumoto
- 1. Introduction
- 2. Synthesis of multi-substituted polycycles through isocoumarin skeletal editing
- 2.1. Reactions with enolates and related C-centred nucleophiles
- 2.2. Reactions with α -carbanion of methylphosphonates
- 2.3. Reactions with organometallic reagents
- 3 Isocoumarin-based lactol silyl ethers as potent platforms for 'carbon swap'
 - 3.1. Ring rearrangement reactions of isocoumarin-based lactol silyl ethers
 - 3.2. Synthesis of π -extended heterocycles through ring rearrangement strategy
- 4. Conclusion
- Acknowledgement

References

C-H Functionalization of indoles and oxindoles through CDC reactions

- Xi Chen, Shao-Dong Liu, Liang Cheng, Li Liu, Chao-Jun Li
- 1. Introduction Csp^2 - Csp^3
- 2. Coupling of indole Csp^2 –H with Csp–H
- 3. Coupling of indole Csp^2 –H with Csp^2 –H
- 4. Coupling of indole Csp^2 -H with Csp^3 -H
- 5. Coupling of indole Csp^2 -H with X-H
- 6. Coupling of oxindole Csp^3 -H with C-H and X-H
- Conclusions
- Acknowledgement
- References

The synthesis and reactions of isoindole N-oxides

Rafał Loska

- 1. Introduction
- 2. Synthesis of isoindole *N*-oxides
- 2.1. Condensation
- 2.2. Oxidation
- 2.3. Rhodium and palladium-catalyzed reactions
- 3. Reactions of isoindole N-oxides
- 3.1. Nucleophilic addition
- 3.2. Reduction
- 3.3. Transition metal-catalyzed reactions with nitrone acting as a directing group
- 3.4. Cycloaddition

265

3.5. Radical traps4. ConclusionsReferences

Synthesis and biological applications of selected N-containing heterocycles:

recent advances of derivatives of aziridines, triazoles, and piperazines

Serena Vittorio, Christian Dank, Laura Ielo

Introduction

- 2. Aziridines
- 2.1. Syntheses of aziridines from alkenes
- 2.2. Syntheses of aziridines from imines
- 2.3. Miscellaneous
- 2.4. Biological activities of aziridines
 - 2.4.1. Aziridines activities against oncological targets
- 2.4.2. Different biological targets of aziridines
- 3. Triazoles
 - 3.1. Synthesis of 1,2,3-triazoles
 - 3.1.1. Synthesis of 1,2,3-triazoles from azides
 - 3.1.2. Synthesis of 1,2,3-triazoles: Azide-free approaches
 - 3.2. Synthesis of 1,2,4-triazoles
 - 3.2.2. Synthesis of 1,2,4-triazoles from hydrazones
 - 3.2.3. Miscellaneous
- 3.3. Biological applications of triazoles
- 4. Piperazines
- 4.1. Syntheses of piperazines via ketopiperazine reduction and N-alkylation
- 4.2. Syntheses of piperazines via catalysis
- 4.3. Miscellaneous
- 4.4. Biological activities of piperazine derivatives
- 5. Conclusion
- Acknowledgements

References

Iodine/DMSO catalytic system: a unified tool for the one-pot construction of heterocycles

Mariyaraj Arockiaraj, Venkatachalam Rajeshkumar

1. Introduction

- 2. Construction of five-membered heterocycles
- 2.1. Pyrroles
- 2.2. Furans
- 2.3. Imidazoles
- 2.4. Oxazoles and oxadiazoles
- 2.5. Thiazoles
- 2.6. Triazoles
- 2.7. Indoles and isatins
- 2.8. Benzofurans
- 2.9. Benzimidazoles
- 2.10. Benzothiazoles
- 3. Construction of six-membered heterocycles
- 3.1. Pyridines
- 3.2. Pyrazines
- 3.3. Triazines
- 3.4.Quinolines
- 9. Construction of fused heterocycles
- 10. Conclusion
- Acknowledgment

308

References

Microwave-assisted synthesis of nitrogen heterocycles

Karthiyayini Gnanaoli, Deepan Babu Rajkumar, C. Uma Maheswari, Vellaisamy Sridharan 1. Introduction

- 2. Synthesis of five-membered nitrogen heterocycles
- 2.1. Pyrroles and fused pyrroles
- 2.2. Pyrrolidine-related compounds
- 2.3. Pyrazoles
- 2.4. Thiazoles and benzothiazoles
- 2.5. Miscellaneous five-membered nitrogen heterocycles
- 3. Synthesis of six-membered nitrogen heterocycles
- 3.1. Pyridines
- 3.2. Quinolines
- 3.3. Imidazo[1,2-a]pyridines
- 3.4. Miscellaneous six-membered nitrogen heterocycles
- 4. Synthesis of seven-membered nitrogen heterocycles
- 5. Synthesis of three- and four-membered nitrogen heterocycles
- 5.1. Aziridines
- 5.2. Azetidines
- 6. Conclusions
- References

Synthesis of benzo[b]thiophenes using alkynes as precursors under metal-free conditions 344

- *Ricardo F. Schumacher, Alex Ketzer, Roberta Cargnelutti, Filipe Penteado* 1. Introduction
- 2. Benzo[b]thiophenes obtained through electrophilic cyclization reactions
- 2.1. Halogen-based electrophiles
- 2.2. Chalcogen-based electrophiles
- 2.3. Boron and silicon-based electrophiles
- 3. Benzo[b]thiophenes obtained through radical cyclization reactions
- 4. Benzo[b]thiophenes obtained through photochemical reactions
- 5. Benzo[b]thiophenes obtained through electrochemical reactions
- 6. Benzo[b]thiophenes obtained through aryne intermediate
- 7. Conclusion
- Acknowledgements
- References

Oxidative Csp²-H/Csp²-H (hetero)arylation of aromatic heterocycles. An overview

Ahmed El Akkaoui, Nabil El Brahmi, Jamal Koubachi, Saïd El Kazzouli

- 1. Introduction
- 2. Cross-dehydrogenative coupling (CDC) reactions between (hetero)arene and arene
- 3. Oxidative Csp^2 -H/ Csp^2 -H cross-coupling reactions between two heteroarenes
- 4. Conclusion
- Acknowledgement
- References

Photocatalytic Minisci reaction

- Jianyang Dong, Qingmin Wang
- 1. Introduction
- 2. Advances in radical generation via decarboxylation
- 2.1. Direct decarboxylation of carboxylic acids

399

- 3. Advances in radical generation via hydrogen atom abstraction
- 3.1. Minisci reactions *via* intermolecular hydrogen atom abstraction
- 3.2. Minisci reactions via intramolecular 1,5-hydrogen migration
- 4. Advances in radical generation from boron compounds
- 5. Advances in radical generation from sulfur compounds
- 6. Advances in radical generation from alkyl halides
- 7. Minisci reactions via spin center shift (SCS)
- 8. Advances in radical generation from C–C fragmentation
- 9. Advances in radical generation from diazonium salts
- 10. Advances in radical generation from dihydropyridines
- 11. Radicals from alkylpyridinium salts
- 12. Conclusion
- Acknowledgement
- References

Metal-free (halo-)heterocyclization of unsaturated amides: synthesis of (halogenated) 2-oxazolines 423 and dihydro 1,3-oxazines

- Weiwei Zhu, Guangfeng Zou, Xingyu Ma
- 1. Introduction
- 2. Lewis acid-promoted heterocyclization of UAs
- 2.1. Synthesis of 2-oxazolines
- 2.2. Synthesis of dihydro-1,3-oxazines and benzoxazepines
- 2.3. Synthesis of fluorinated spiro-2-oxazolines
- 3. Hypervalent iodine-catalyzed nucleophilic halogenation of UAs
- 3.1. Asymmetric synthesis of fluorinated dihydro-1,3-oxazines and benzoxazepines
- 3.2. Synthesis of halogenated 2-oxazolines
- 3.3. Synthesis of halogenated dihydro-1,3-oxazines
- 4. Electrophilic halo-heterocyclizaiton of UAs
- 4.1. Synthesis of halogenated (spiro)-2-oxazolines
- 4.2. Synthesis of halogenated dihydro-(chromeno)-1,3-oxazines
- 5. Conclusion and outlook
- Acknowledgement
- References